Riverside Tool Corp. Response Attachment 6

Wastewater Discharge Permit Application



CITY OF ELKHART PUBLIC WORKS & UTILITIES INDUSTRIAL WASTEWATER DISCHARGE PERMIT APPLICATION

Unless otherwise stated, fill out completely.

If an item is not applicable, indicate by noting "NA".

Do Not Leave Any Blank Spaces.

Section 1 Applicant and Facility Description					
1. Name of Facility	Riverside Tool Corp.				
2. Mailing Address	P.O. Box 1425, Elkhar	t, IN 4651	-5		
3. Facility Address	3504 Henke St., Elkha	art, IN 465	514		
4. I certify that I am familiar with the information contained in this application and that to the best of my knowledge and belief such information is true, complete and accurate.					
Ronald Migedt Pres		Presiden	ident		
Printed Name of Signing Official Title		Title			
Signature of Signing Official Date		Date	- Control of the Cont		
5. Applicant's Authorized Agent or Contact Official					
Ronald Migedt		Preside	nt		
Name		Title			
Mailing Address:	P.O. Box 1425, Elkhart,	In 46515	AND THE STREET		
Telephone Number:	574 - 522 - 6798		•		
Email Address:	ron@riversidetool.com	1	Permit #NA		
	<u> </u>	• • • • • • • • • • • • • • • • • • • •	(if applicable)		

Section 2 Plant Operations			
1. Provide a <u>DETAILED</u> written description of the manufacturing process or service activity provided on the premises (use additional sheets if necessary). <i>Include a flow diagram clearly identifying each process step</i> .			
See Attached Document Titled Section 2			
2. Principle raw materials used:			
See Attached Document Titled Section 2			
3. Chemicals and compounds used (include MSDS for each)			
See Attached Document Titled Section 2			
	See Attached Document		
4. Hours of process discharge into the sewer system per da	y: <u>Titled Section 2</u>		
5. List any environmental control permits held by or for the facility (including a discharge permit issued by the city). Please include all applications presently being reviewed by any regulatory agency. Please include all associated permit numbers. NA			
6. List all products manufactured or services provided by your facility along with the corresponding SIC number according to the Standard Industrial Classification Manual, Bureau of Budget, 1972 as amended:			
Product or Service	SIC Code		
Cutting Tools	3545		
Electroplating	3471		
Proctropacing			
NA	NA		
NA	NA		
NA	NA		

Section 3 Water Usage and Discharge Information			
1. List intake water sources and volume:			
Municipal Water Service	521	_ gallons/day	
Private Well	0	gallons/day	
Surface Water	0	gallons/day	
Other NA	NA	gallons/day	
Total	521	gallons/day	
2. List average volume of discha	irge or water	loss:	
City Sewer System	521	_ gallons / day	
Natural Outlet (Pond, etc.)	О	_ gallons / day	
Waste Hauler	11.26	_ gallons / day	
Evaporation	3.55	_ gallons / day	
Contained in Product	NA	gallons / day	
Other <u>NA</u>	NA	gallons / day	
Est. 30 Minute Peak Flow	NA	gallons / day	
Total	535.81	gallons / day	
3. List average water usage within the facility:			
Process waste stream #1	2.73	_ gallons / day	Metered □Yes/⊠No
Process waste stream #2	8.52	gallons / day	Metered □Yes/⊠No
Process waste stream #3	NA	_ gallons / day	Metered □Yes/□No
Process waste stream #4	NA	gallons / day	Metered □Yes/□No
Contact cooling water	NA	_ gallons / day	Metered □Yes/□No
Non-contact cooling water	NA	gallons / day	Metered □Yes/□No
Sanitary water*	521	_ gallons / day	Metered □Yes/⊠No
Boiler/Air Conditioner	NA	gallons / day	Metered □Yes/□No

^{*}Sanitary Flow may be estimated at 15 GPD per employee, unless a more accurate method is available.

4. Describe how each waste stream listed above is generated:					
SIC 3545 – Lubricants, Coolants, and Cleaning Solutions are re-circulated inside machinery until they need replacement. At that point, they are transferred to a designated container for later disposal with Safety Kleen Systems, Inc.					
#2	SIC 3471 – De-ionized water used in the electroplating process is transferred to the designated container when replacement is needed. The waste is later disposed of by Safety Kleen Systems, Inc.				
#3	NA				
#4	NA			,	
Contact	Cooling	NA			
5. Is dis	charge to the	e sewer	Continuous □Yes/⊠No	Batch	_Yes/⊠No
	If batch	n: Circle frequenc	y of Discharge:	times p	er day / mo / yr
Volume: gallons per batch					
6. Attach a <u>detailed schematic process diagram of the facility</u> showing the locations of sewers referenced in Number 7 and the location of SIC processes referenced in sections 2-6. Show the locations of sampling points (both Federal Categorical and POTW) and the location of the pretreatment facility, if applicable.					
7. List plant sewer outlets, size and flow (assign sequential reference number to each sewer starting with number 1; identify these on the schematic)					
Refe	rence nber	Sewer Size (inches)			Average Flow (GPD)
	1	4"	Southside Center of Building 1		148.8
	2	4"	Southeast Corner Building 2 150		150
	3	4"	Northeast Corner Building 2 13.68		13.68
4	<u>4</u> .	4"	Southeast Corner Building 3 208.32		208.32

Page 4 of 8 Revised 10/11/2010

8. Do you have any of the following currently in use or in future plans:				
	Current	Planned		
Flow Metering:	∐Yes/⊠No	∐Yes/⊠No		
Sampling Equipment:	∐Yes/⊠No	∐Yes/⊠No		
Monitoring Equipment: (pH, Temp., TOC, etc.)	∐Yes/⊠No	□Yes/⊠No		
List all potable water metering devices inclusions Southwest Corner of Building 2. Two municipal water in Neptune T-10 60146356. The other for the building water in the buildin	neters are present. On ter supply, 2" Neptune	ne for the lawn sprinklers, 1 ½" e Trident 10 31865782.		
List all wastewater metering devices includ	ing manufacturer	, model and locations: NA		
Use additional sheets if necessary. Section 4 P	retreatment			
1. If applicable, describe all Federal Categorical processes in your facility (40 CFR Part 403).		lards that apply to all		
NA				
2. If any Federal Pretreatment Standards apply to your facility for its processes, and such standards are not yet being met, please include a compliance schedule according to 40 CFR Part 403.12(b)(7).				
NA 3. Describe any wastewater treatment equipment or process in use and identify its location on the schematic.				
NA 4. Describe any additional pretreatment facilities and processes under consideration. Include a				
specific timetable for completion:				
NA				
5. Do you have a spill prevention, containment and control plan (SPCC) or RCRA contingency plan for your facility? Yes/No - Riverside Tool Corp. does not meet criteria (1,320 gallons of above-ground oil storage capacity) to be subject to SPCC regulations. However we have formed a plan to handle spills and have attached that document to this application.				
If yes, please include a copy.				
6. Do you utilize the city sewer to dispose of sol	vents, sludges or h	azardous materials: \(\sum Yes/		
☑No If yes, describe the materials and proquantity disposed.	ovide an estimate fo	or annual frequency and		

Page 5 of 8 Revised 10/11/2010

5. Are solvents, sludges or hazardous materials transported and disposed off-site: ⊠Yes/⊡No				
If yes, explain: All liquid waste from manufacturing processes is disposed of using Safety Kleen Systems, Inc.				
8. Please indicate on <u>Table 1 Pollutants</u> which, if any, may be found in your wastewater discharge as a result of a direct discharge from your pretreatment facility, process operation or from an accidental spill. – All of the substances indicated are disposed of using Safety Kleen Systems, Inc. 9. Please list names of Certified Operators currently employed by your facility. Include				
Certification Number, Classification	ion and Expiration Date of Certification.			
Name: NA	Certification Number: NA			
Class: NA	Expiration Date: NA			
Name: NA	Certification Number: NA NA			
Class: NA	Expiration Date: NA			
Soction	E Wastowator Characteristics			
Section 5 Wastewater Characteristics 1. Attach the most recent laboratory data, which characterize the facility discharge to the sewer system. Indicate the sampling location, time and date of sample collection, and type of sample collected (grab or composite). All sampling and analysis shall be performed in accordance with section 5.4.3 of the City of Elkhart Sewer Use and Rate Ordinance No. 4866 (40 CFR Part 136) – No waste from manufacturing processes is disposed of in the municipal sewer system. However, we have attached profile reports of our waste that is disposed of using Safety Kleen Systems, Inc. 2. If no sampling data are available, testing MUST be performed on the discharge for any pollutant that may be present. The sample must be taken during normal production activity and be representative of typical wastewater flows and constituents. The parameters analyzed shall include all pollutants indicated on Table 1 that may be present in your waste stream (conventional, nonconventional and priority pollutants). 3. The City of Elkhart Public Works & Utilities reserves the right to require additional testing to				
characterize the facility discharge.				
Section 6 Mailing Address				
1. Please send completed application with all supporting attachments and enclosures to: PUBLIC WORKS & UTILITIES LABORATORY & PRETREATMENT DIVISION 1201 SOUTH NAPPANEE STREET ELKHART, IN 46516 ATTN: LYNN BRABEC				
2. For assistance in completing the application, call the LABORATORY & PRETREATMENT DIVISION, at (574) 293-2572.				

Page 6 of 8 Revised 10/11/2010

Table 1 - Pollutants

<u>Sec</u>	tion 1 Priority Pollutants		
A.	Metals and Inorganics ☐ Antimony; Sb ☐ Arsenic; As ☐ Asbestos ☐ Beryllium; Be ☐ Cadmium; Cd ☐ Chromium; Cr ☐ Copper; Cu ☐ Cyanides; CN ☐ Lead; Pb ☐ Mercury; Hg ☐ Nickel; Ni ☐ Selenium; Se	F.	Toxic Organics: Aromatics Benzene Benzene, chloro Benzene, 1,2-dichloro Benzene, 1,3-dichloro Benzene, 1,4-dichloro Benzene, 1,2,4-trichloro Benzene, hexachloro; HCB Benzene, ethyl Benzene, nitro Toluene Toluene, 2,4-dinitro; DNT Toluene, 2,6-dinitro
	☐ Silver; Ag ☐ Thallium; TI ☐ Zinc; Zn	G.	Toxic Organics: Polynuclear Aromatic Hydrocarbons 2-Chloronaphthalene
В.	Toxic Organics: Ethers Ether, bis(2-chloroethyl) Ether, bis(2-chloroisopropyl) Ether, 2-chloroethyl vinyl Ether, 4-chlorophenyl phenyl Ether, 4-bromophenyl phenyl Bis (2-chloroethoxy) methane		Benzo (a) anthracene Benzo (b) fluoranthene; B(b)F Benzo (k) fluoranthene; B(k)F Benzo (a) pyrene; BaP Ideno (1,2,3-cd) pyrene; IP Dibenzo (a,b) anthracene; DBA Acenaphthene Acenaphythylene Anthracene
C.	Toxic Organics: Phthalates Phthalate, dimethyl; DMP Phthalate, diethyl; DEP Phthalate, di-n-butyl; DBP Phthalate, di-n-octyl; DOP Phthalate, bis (2-ethylhexyl); DEHP Phthalate, butyl benzyl; BBP		☐ Chrysene ☐ Fluoranthene ☐ Fluorene ☑ Naphthalene ☐ Phenanthrene ☐ Pyrene
D.	Toxic Organics: Nitrogen Compounds Nitrosamine, dimethyl Nitrosamine, diphenyl Nitrosamine, di-n-propyl Benzidine Benzidine Hydrazine, 1,2-diphenyl Acrylonitrile	Н. Т	oxic Organics: PCB's PCB-1016; Arochlor 1016 PCB-1221; Arochlor 1221 PCB-1232; Arochlor 1232 PCB-1242; Arochlor 1242 PCB-1248; Arochlor 1248 PCB-1254; Arochlor 1254 PCB-1260; Arochlor 1260
E.	Toxic Organics: Phenols Phenol Phenol, 2-chloro Phenol, 2,4-dichloro; 2,4-DCP Phenol, 2,4,6-trichloro Phenol, pentachloro; PCP Phenol, 2-nitro Phenol, 4-nitro Phenol, 4-dinitro; 2,4-DNP Phenol, 2,4-dimethyl m-Cresol, p-chloro o-Cresol, 4,6-dinitro; DNOC		

Page 7 of 8 Revised 10/11/2010

I. T	oxic Organics: Halogenated	K.	Toxic Organics: Oxygenated
H	lydrocarbons Halogenated		Compounds
	Aliphatics		☐ Acrolein
_			
	Methane, Dichloro; Methylene	L.	Toxic Organics: Miscellaneous
	chloride chloride		☐ Isophorone
			2,3,7,8-tetrachlorodibenzo-p-
			dioxin; TCDD; dioxin
	tetrachloride		dioxili, 1022, dioxili
	☐ Ethane, chloro	Sac	tion 2 Conventional Pollutants
	Ethane, 1,1-dichloro	<u> </u>	CONVENCIONAL FORGETTES
	☐ Ethane, 1,2-dichloro		☐ Carbonaceous Biochemical
	Ethane, 1,1,1-trichloro		Oxygen (cBOD ₅) > 250 mg/L
	Ethane, 1,1,2-trichloro		☐ 10 units < pH < 5 units
	Ethane, 1,1,2,2-tetrachloro		☐ Total Suspended Solids
	Ethane, hexachloro		(TSS) > 250 mg/L
	Ethene, chloro; Vinyl chloride		◯ Oil and Grease (O & G)
	Propane, 1,2-dichloro		⊠ on and dicase (o a o)
	Propene, 1,3-dichloro	Sac	tion 3 Nonconventional Pollutants
	Butadiene, hexachloro; HCBD	360	don's Nonconventional Fondants
	Cyclopentadiene, hexachloro; HCCPD		
	Methane, bromo; Methyl bromide		\square Ammonia (NH ₃ -N)
	Methane, dichlorobromo		⊠ Surfactants
	☐ Methane, chlorodibromo☐ Methane, Tribromo; Bromoform		⊠ Phosphorus, Total
	Ethene, trichloro		
	Ethene, 1,1-dichloro; 1,1-DCE		
	Ethene, 1,2-trans-dichloro		
	Ethene, tetrachloro		
	Ethene, tetraemore		
7	Toyic Organica: Posticidos		
J.	Toxic Organics: Pesticides alpha-Endosulfan		
	☐ Endosulfan sulfate		
	beta-Endosulfan		
	Hexachlorocyclohexanes:		
	alpha-BHC		
	□ beta-BHC		
	☐ delta-BHC		
	gamma-BHC; Lindane		
	Aldrin; HHDN		
	☐ Dieldrin; HEOD		
	☐ 4,4'-DDE		
	☐ 4,4'-DDT; p,p'-DDT		
	☐ 4,4-DDD; p,p'-DDD; p,p'-TDE		
	Endrin		
	Endrin aldehyde		
	Heptachlor		
	Heptachlor epoxide		
	Chlordane		
	☐ Toxaphene		

Page 8 of 8 Revised 10/11/2010

1. Provide a <u>DETAILED</u> written description of the manufacturing process or service activity provided on the premises.

Riverside Tool Corp. manufactures and services cutting tools for the woodworking and plastics industries. The cutting tools are machined and ground within the facility and many times are put through a black oxide process or electroplating process before shipment.

Two flow diagrams illustrating these processes, referenced as 'New Tooling Flow Diagram' and 'Tool Servicing Flow Diagram', are attached as separate documents to this application.

For cutting tool service and manufacturing (SIC 3545), coolants, lubricants, and cleaning solutions are utilized during machining, grinding, and cleaning of metal. These chemicals are as follows (See MSDS Book for details):

- Clearedge 6519
- IonoPlus 3000 ET
- GrindKlean
- Transogrind 250
- De-ionized water
- X10

All liquids are re-circulated within the machine. When machines require cleaning or maintenance, if necessary, the lubricant/coolant/cleaning solution is transferred out of the machine into the designated container (Disposal Tote 2) which is periodically pumped out by Safety Kleen Systems, Inc and hauled away for proper disposal.

For Electroplating and Black Oxide conditioning of tools (SIC 3471), tools are dipped in various liquids. Below is a sequential listing of the chemicals that tools are moved through for each process (See MSDS Book for details):

Black Oxide Process

- Safe Scrub ST Biodegradable Cleaner
- De-Ionized Water
- Birchwood Casey Oxyprime Surface Conditioner
- De-Ionized Water
- Tru Temp XL Blackener
- De-Ionized Water
- Dri-Touch Plus IPR3 Rust Preventative

Electroplating Process

- Electroscrub
- De-Ionized Water
- De-Ionized Water
- Metal Activator Solution
- De-Ionized Water
- De-Ionized Water
- Bright Nickel Solution
- De-Ionized Water
- De-Ionized Water
- Bright Copper Catalyst & Bright Copper MakeUp (Combined)
- De-Ionized Water
- De-Ionized Water
- Bright Nickel Solution
- De-Ionized Water

Stripping of ElectroPlating


- Electro-Strip
- De-Ionized Water & Baking Soda (Combined)
- De-Ionized Water


The De-Ionized Water listed above is transferred to the designated container (Disposal Tote 1) periodically as needed (for proper disposal with Safety Kleen Systems, Inc.) and refilled with De-Ionized Water. Any disposal of the other chemicals listed is rare and they are transferred to the designated container (Disposal Tote 1) for later disposal using Safety Kleen Systems, Inc..

- 2. Principle raw materials used:
 - Tungsten Carbide (C3, C4)
 - Steel (4140, C1018, 301/304 Stainless, M2, M3)
 - Aluminum (6061)
 - M42 Alloy
 - Polycrystalline Diamond
 - Copper
 - Brass
 - Nickel
- 3. Chemicals and compounds used (include MSDS for each)
 See previously submitted binder of MSDS sheets.


4. Hours of process discharge into the sewer system per day: There are zero hours of process discharge into the municipal sewer system. No manufacturing process discharges any liquid into the municipal sewer system. All oils, coolant, grease, and liquids from the manufacturing, grinding, electroplating and black oxide processes are collected in designated containers and transferred to Safety-Kleen Systems, Inc. for proper disposal.

New Tooling Flow Diagram







Building 2



Building 3





Symbols

- -LS Lift Station
- -CM Man Hole
- -IM Inspection Man Hole
- -CO Clean Out